



TITAN

600 Y900 TITAN MECHANIX
TITAN EXTREME






## HIGH ROW / T901



### **SPECIFICATIONS**

#### **T901**

X	Dimension	2140 x 1500 x 2075 mm
	Frame dimensions	30 mm
	Transport box	1780 x 1230 x 830 mm Carton
B	Frame color	
8/	Application color	
KC	Weight net / gross	210 kg / 240 kg
NA	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



**The T901 High Row is expertly** designed to target all major back muscles, including the latissimus dorsi, teres major, rhomboids, and trapezius (mid and lower sections), along with the posterior deltoids.


## **ROWING MACHINE** / T902



### **SPECIFICATIONS**

#### **T902**

X	Dimension	1545 x 1300 x 1290 mm
[_]	Frame dimensions	30 mm
	Transport box	1830 x 1130 x 830 mm Carton
B.	Frame color	• •
8/	Application color	
KIG	Weight net / gross	160 kg / 190 kg
KA	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T902 Rowing Machine is designed to target all central back muscles, focusing on the mid and lower trapezius, rhomboids, latissimus dorsi, teres major, and rear deltoids. Featuring a gasassisted seat and a front support base, this machine ensures safe and efficient movement execution. Independent levers allow for both unilateral and bilateral exercises, providing versatile workout options. Additionally, the handles offer prone or neutral grips, allowing for varied training routines.




## **SUPER INCLINED CHEST PRESS** / T903



### **SPECIFICATIONS**

#### Tanz

$\times$	Dimension	1690 x 1625 x 1950 mm
	Frame dimensions	30 mm
	Transport box	2010 x 1230 x 530 mm Carton
B	Frame color	• •
8/	Application color	
KC	Weight net / gross	200 kg / 230 kg
N	Max load*	-
6	Recommended weight pack	
-0)	Weight storage	



The T903 Super Inclined Chest Press is engineered to effectively target the upper portion of the pectoralis major (clavicular bundles), anterior deltoids, and triceps. The independent levers enable both unilateral and bilateral exercises, while the handles provide prone or neutral grip options for varied muscle engagement. The machine also includes an easy start system to assist with initial setup and movement commencement, ensuring a smooth and efficient workout experience.


## SUPER LOW ROW / T904



### **SPECIFICATIONS**

#### T904

X	Dimension	1695 x 1610 x 1630 mm
	Frame dimensions	30 mm
	Transport box	1730 x 1280 x 630 mm Carton
B	Frame color	• •
8/	Application color	
KG	Weight net / gross	230 kg / 260 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



1,80 m (H)

The T904 Super Low Row is specifically designed to target the upper part of the back, enhancing muscle thickness in this area. This machine features independent levers that allow for both unilateral and bilateral exercises, ensuring versatile and balanced workouts. The levers system provides a physiological load curve, optimizing muscle engagement from start to finish. Additionally, the fixed central handle stabilizes the body during unilateral exercises for increased safety and effectiveness.




## **SUPER DECLINED CHEST PRESS** / T905



### **SPECIFICATIONS**

#### **T905**

150.		
X	Dimension	2200 x 1550 x 1330 mm
	Frame dimensions	30 mm
	Transport box	1730 x 1280 x 630 mm Carton
B	Frame color	
8/	Application color	
KC	Weight net / gross	235 kg / 265 kg
M	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The T905 Super Declined Chest Press is expertly crafted to target the lower portion of the pectoralis major, effectively engaging the chest, anterior deltoids, and triceps. This machine offers multiple grip options to diversify your workout and ensure optimal muscle activation. Independent levers allow for both unilateral and bilateral exercises, providing flexibility and balance in your training routine. The ergonomic design ensures a natural range of motion, promoting safe and efficient workouts.


## **ALTERNATE LEG EXTENSION** / T906



### **SPECIFICATIONS**

#### T906

$\times$	Dimension	1450 x 1900 x 1290 mm
	Frame dimensions	30 mm
	Transport box	1630 x 1230 x 780 mm Carton
8	Frame color	
8/	Application color	
KG	Weight net / gross	275 kg / 305 kg
K	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T906 Alternate Leg Extension is designed to isolate and strengthen the quadriceps muscles effectively. This advanced machine features a physiological load curve with a levers system, ensuring optimal tension throughout the exercise.



1,80 m (H)


## **ALTERNATE LEG CURLING** / T907



### **SPECIFICATIONS**

**T907** 

X	Dimension	1620 x 1800 x 905 mm
	Frame dimensions	30 mm
	Transport box	1530 x 1430 x 930 mm Carton
B.	Frame color	
<b>W</b>	Application color	
KC	Weight net / gross	225 kg / 255 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The T907 Alternate Leg Curling machine is expertly designed to isolate and strengthen the hamstring muscles, which are crucial for knee flexion. Utilizing a progressive lever system, it ensures a physiological load curve, providing optimal tension throughout the range of motion. Independent levers allow for both unilateral and bilateral exercises, promoting balanced muscle development and comprehensive hypertrophy. Adjustable rolls ensure proper alignment and comfort during workouts


## **ALTERNATE CURLING MACHINE** / T908



## **SPECIFICATIONS**

**T908** 

X	Dimension	1220 x 1860 x 1300 mm
	Frame dimensions	30 mm
	Transport box	1330 x 1230 x 730 mm Carton
B.	Frame color	• •
8/	Application color	
KIG	Weight net / gross	170 kg / 200 kg
K	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T908 Alternate Curling Machine is designed to effectively isolate and train the brachialis and biceps brachii muscles. Featuring a progressive lever system, it ensures a physiological load curve that provides optimal tension throughout the range of motion. The independent levers, equipped with rotating jointed grips and an adaptive system, allow for both unilateral and bilateral exercises, promoting comprehensive muscle development.




## **SUPER DELTOID PRESS** / T909



### **SPECIFICATIONS**

**T909** 

X	Dimension	1960 x 1460 x 1400 mm	
	Frame dimensions	30 mm	
	Transport box	1630 x 1230 x 730 mm Carton	
B.	Frame color	• •	
9/	Application color		
KG	Weight net / gross	250 kg / 280 kg	
N	Max load*		
6	Recommended weight pack		
-	Weight storage		



The T909 Super Deltoid Press features a physiological trajectory specifically designed for effective shoulder training, targeting the deltoids and clavicular bundles of the pectoralis major. This advanced machine stands out with its independent levers for unilateral or bilateral exercises, ensuring versatile and balanced workouts.


## SUPER INCLINED BENCH PRESS / T910



### **SPECIFICATIONS**

T910

X	Dimension	2350 x 1540 x 1260 mm
	Frame dimensions	30 mm
	Transport box	1480 x 1280 x 830 mm Carton
B.	Frame color	• •
<b>%</b> /	Application color	
KG	Weight net / gross	240 kg / 270 kg
M	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T910 Super Inclined Bench Press is expertly designed to target the upper portion of the pectoralis major and the posterior head of the deltoid. Featuring a precise movement trajectory, this machine ensures effective muscle engagement and optimal training results. Independent levers allow for single- or double-sided execution, providing flexibility in your workout routine.




## POWER SQUAT / T911



#### **SPECIFICATIONS**

**T**911

$\geq$	Dimension	2250 x 1545 x 1875 mm
	Frame dimensions	30 mm
	Transport box	2230 x 1230 x 790 mm Carton
B	Frame color	• •
B/	Application color	
KG	Weight net / gross	285 kg / 315 kg
M	Max load*	-
6	Recommended weight pack	
-0)	Weight storage	



The T911 Power Squat is meticulously engineered to deliver a comprehensive workout for all leg muscles, including the quadriceps, hamstrings, and glutes. Utilizing a progressive pantograph system, this machine ensures a physiological load curve, providing optimal and constant tension throughout the range of motion. The Power Squat allows users to perform exercises with dual workout positions, enhancing versatility and effectiveness.


## **SUPER SQUAT MACHINE** / T912



### **SPECIFICATIONS**

T912

$\times$	Dimension	1990 x 1780 x 1530 mm
	Frame dimensions	30 mm
	Transport box	1930 x 1230 x 830 mm Carton
[B]	Frame color	• •
8/	Application color	
KIG	Weight net / gross	218 kg / 248 kg
K	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T912 Super Squat Machine is designed to provide a comprehensive workout for the entire thigh and gluteal muscles. This innovative machine enables users to perform squats with a guided trajectory, eliminating the risk of losing balance while maintaining complete freedom of movement for the back. With its large workstation, the Super Squat Machine emphasizes the rear thigh muscles and glutes, ensuring effective and targeted training.




## **DIPS PRESS DUAL SYSTEM** / T913



### **SPECIFICATIONS**

#### **T**917

$\geq$	Dimension	1600 x 1510 x 1070 mm
	Frame dimensions	30 mm
	Transport box	1630 x 1230 x 480 mm Carton
[A]	Frame color	• •
W/	Application color	
KC	Weight net / gross	150 kg / 180 kg
N	Max load*	
6	Recommended weight pack	
-1	Weight storage	



The T913 Dips Press Dual System is expertly designed for the development of triceps muscles, engaging the lower portion of the pectoralis and the anterior deltoid bundles. This versatile machine allows users who may struggle with bodyweight dips to replicate the thrust movement at the bars, offering the flexibility of working with independent levers or both locked for gradual and complete muscle development.


## SUPER VERTICAL CHEST PRESS / T914



### **SPECIFICATIONS**

#### T914

$\geq$	Dimension	2045 x 1440 x 1900 mm
	Frame dimensions	30 mm
	Transport box	2130 x 1230 x 630 mm Carton
TA_	Frame color	• •
8/	Application color	
KG	Weight net / gross	275 kg / 305 kg
M	Max load*	
6	Recommended weight pack	
-0	Weight storage	



The T914 Super Vertical Chest Press is expertly designed to target the upper part of the pectoralis major and the rear head of the deltoids. Its movement trajectory ensures optimal muscle engagement, making it a premier choice for upper chest workouts.




## LEG PRESS BRIDGE / T915



### **SPECIFICATIONS**

T915

1313		
X	Dimension	2900 x 1980 x 1580 mm
	Frame dimensions	30 mm
	Transport box	1630 x 1230 x 780 mm Carton
B	Frame color	
<b>M</b>	Application color	
KC	Weight net / gross	350 kg / 380 kg
K	Max load*	
6	Recommended weight pack	
-1	Weight storage	



The T915 Leg Press Bridge is meticulously designed for comprehensive thigh muscle training, with a particular focus on the femoral quadriceps. Utilizing a progressive pantograph system, this machine ensures a physiological load curve, providing optimal and constant tension throughout the entire range of motion. The adjustable backrest and easy start system with a safety lever make it user-friendly, ensuring a safe and effective workout experience.


## PENDULUM SQUAT / T916



### **SPECIFICATIONS**

T916

X	Dimension	2507 x 1210 x 1675 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	• •
8/	Application color	
KG	Weight net / gross	210 kg / 250 kg
N	Max load*	-
6	Recommended weight pack	
-0)	Weight storage	



The T916 Pendulum Squat by DHZ Fitness offers an exceptional lower body workout with innovative features that set it apart from the competition. This machine provides a deep and controlled range of motion, allowing for effective squatting exercises that target key muscle groups. With a large back pad for secure body placement and sturdy uprights for stability, the T916 ensures a safe and comfortable training experience.




## **STANDING T-BAR ROW** / T917



### **SPECIFICATIONS**

#### **T917**

Dimension	940 x 505 x 1860 mm
Frame dimensions	30 mm
Transport box	
Frame color	
Application color	
Weight net / gross	82 kg / 122 kg
Max load*	
Recommended weight pack	
Weight storage	
	Frame dimensions  Transport box  Frame color  Application color  Weight net / gross  Max load*  Recommended



The T917 Standing T-Bar Row is designed to deliver a powerful and effective back workout, targeting key muscle groups with precision and versatility. Featuring angled foot platform, this machine ensures a stable and secure base for intense rowing exercises.


## **DOUBLE DEADLIFT** / T918



### **SPECIFICATIONS**

#### **T918**

X	Dimension	1735 x 1690 x 850 mm
	Frame dimensions	30 mm
	Transport box	
[B]	Frame color	• •
8/	Application color	
KIG	Weight net / gross	125 kg / 165 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The T918 Double Deadlift is the perfect addition to any gym that wants to add variety to their deadlift training. This machine is designed to simulate the traditional deadlift exercise and offers a more comfortable and varied grip option with its dual handle position.




## **VERTICAL LEG PRESS** / T919



### **SPECIFICATIONS**

**T919** 

$\geq$	Dimension	2125 x 1705 x 2105 mm
	Frame dimensions	30 mm
	Transport box	
8	Frame color	
<b>M</b>	Application color	
KC	Weight net / gross	282 kg / 322 kg
N	Max load*	
6	Recommended weight pack	
-	Weight storage	



## The T919 Vertical Leg Press by DHZ Fitness is a groundbreaking piece of equipment designed to deliver unparalleled leg workouts. With its unique vertical design, this leg press tarrets muscle

With its unique vertical design, this leg press targets muscle groups like never before, making it an essential addition to any gym, personal training studio, or fitness facility.


## PULL OVER / T920



### **SPECIFICATIONS**

**T920** 

X	Dimension	1770 x 2040 x 1520 mm
[]	Frame dimensions	30 mm
	Transport box	
B	Frame color	
8/	Application color	
KC	Weight net / gross	280 kg / 320 kg
N	Max load*	
6	Recommended weight pack	
-	Weight storage	



**The T920 Pull Over is ergonomically** designed to reduce tension and provide exercisers with increased stability and control. The seat is angled and degree of shoulder extension is decreased for stability and reduced shoulder joint stress, respectively.




## **INCLINE FLY** / T921



### **SPECIFICATIONS**

#### T921

$\times$	Dimension	1760 x 1100 x 1010 mm
	Frame dimensions	30 mm
	Transport box	
B.	Frame color	• •
<b>M</b>	Application color	
KC	Weight net / gross	110 kg / 150 kg
N	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T921 Incline Fly is expertly crafted to deliver an unparalleled chest workout, offering a superior range of motion and exceptional muscle engagement. The rotating handles provide a natural grip, while the easily adjustable seat ensures a comfortable and personalized fit for all users, allowing for an optimal training experience.


## **HIGH ROW** / T922



### **SPECIFICATIONS**

#### **T922**

X	Dimension	2035 x 2240 x 1635 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	• •
8/	Application color	
KG	Weight net / gross	210 kg / 250 kg
KA	Max load*	
6	Recommended weight pack	
-	Weight storage	



The T922 High Row is the ultimate machine for targeting your back muscles. This machine simulates the motion of a traditional high row exercise, but with added features to enhance your workout. The built-in storage pins allow for easy access to weight plates, and the height-adjustable seat pad and thigh pad ensure a comfortable and secure fit during your workout.




## **INCLINE LINEAR ROW** / T923



### **SPECIFICATIONS**

#### **T923**

X	Dimension	1900 x 1670 x 1430 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KG	Weight net / gross	185 kg / 225 kg
KA	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The T923 Incline Linear Row is a groundbreaking addition to our lineup, designed to elevate your back and shoulder workouts with unmatched precision and safety. Engineered with an ergonomic design and robust construction, this machine ensures precise movements, maximizing the efficiency of each exercise.


## **REVERSE HYPEREXTENSION** / T924



### **SPECIFICATIONS**

#### T924

X	Dimension	1480 x 1340 x 1540 mm
	Frame dimensions	30 mm
	Transport box	
B.	Frame color	• •
8/	Application color	
KIG	Weight net / gross	130 kg / 170 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The T924 Reverse Hyperextension is expertly designed for targeted training of the posterior thigh muscles, including the glutes and hamstrings, as well as the lumbar muscles. This machine has been meticulously refined to enhance comfort and effectiveness. The thrust roller is positioned at the ankles, ensuring maximum engagement of the entire posterior chain.




## **ROLLER HIP THRUST** / T925



### **SPECIFICATIONS**

#### **T925**

X	Dimension	1960 x 1240 x 995 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KC	Weight net / gross	175 kg / 215 kg
K	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The T925 Roller Hip Thrust focuses on the glute muscles and simulates the most popular free weight glute training paths. Ergonomic pelvic pads provide secure and comfortable support for training start and end. The traditional bench is replaced by a wide back pad, which greatly reduces the pressure on the back and improves the comfort and stability.


## **ABDOMINAL CRUNCH** / T926



### **SPECIFICATIONS**

#### **T926**

$\geq$	Dimension	1770 x 1320 x 1750 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	• •
8/	Application color	
KC	Weight net / gross	210 kg / 250 kg
N	Max load*	
6	Recommended weight pack	
4	Weight storage	



**Abdominal Crunch is a must-have** for anyone looking to target their abdominal muscles with precision. Unlike traditional ab crunch machines, this equipment features two suspension points on both sides that provide greater resistance and a more challenging workout.




## **ADJUSTABLE BENCH** / T927



### **SPECIFICATIONS**

#### **T927**

132		
X	Dimension	1430 x 830 x 490 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KC	Weight net / gross	65 kg / 105 kg
K	Max load*	
6	Recommended weight pack	
-0	Weight storage	
	Max load*  Recommended weight pack	65 kg / 105 kg



**Bench with seat and backrest adjustment**, Wheels for mobility, Adjustable to various angles. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.


## FLAT BENCH / T928



### **SPECIFICATIONS**

### **T928**

X	Dimension	1335 x 830 x 425 mm
	Frame dimensions	30 mm
	Transport box	
[B]	Frame color	
9/	Application color	
KG	Weight net / gross	38 kg / 78 kg
N	Max load*	
6	Recommended weight pack	
-	Weight storage	



**Indispensable flat bench with ideal** height for different freeweights training. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.




## **ADJUSTABLE DECLINE BENCH** / T929



### **SPECIFICATIONS**

#### **T929**

X	Dimension	1725 x 830 x 850 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KC	Weight net / gross	75 kg / 115 kg
K	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



**For freeweights exercises** or abdominal trainer with different adjustment angles, wheels for mobility. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.


## **MULTI-PURPOSE BENCH** / T930



### **SPECIFICATIONS**

#### **T930**

$\geq$	Dimension	1290 x 830 x 960 mm
	Frame dimensions	30 mm
	Transport box	-
B	Frame color	• •
<b>B</b> /	Application color	
KG	Weight net / gross	50 kg / 90 kg
N	Max load*	-
6	Recommended weight pack	-
-0)	Weight storage	



**The seating position has a** split backrest to provide better support for different parts of the user for stability and comfort; foot support for stability. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.




## **OLYMPIC DECLINE BENCH** / T931



### **SPECIFICATIONS**

#### T931

Dimension	1990 x 1550 x 1265 mm
Frame dimensions	30 mm
Transport box	
Frame color	
Application color	
Weight net / gross	130 kg / 170 kg
Max load*	
Recommended weight pack	
Weight storage	
	Frame dimensions  Transport box  Frame color  Application color  Weight net / gross  Max load*  Recommended weight pack



**Negative declined bench with** 6 hooks for barbell and 4 weight horns. Equipped with TITAN EXTREME's exclusive adjustable bumper system provides users with additional drop protection. The numbered adjustment and fixed rails are easy to use and ensure the stability and durability.


## **OLYMPIC INCLINE BENCH** / T932



### **SPECIFICATIONS**

#### **T932**

X	Dimension	1910 x 1650 x 1680 mm
	Frame dimensions	30 mm
	Transport box	
TA_	Frame color	• •
8/	Application color	
KG	Weight net / gross	188 kg / 228 kg
M	Max load*	-
6	Recommended weight pack	-
-0)	Weight storage	



**Inclined bench with** 6 hooks for barbell and 4 weight horns, Spotter platform, Equipped with TITAN EXTREME's exclusive adjustable bumper system provides users with additional drop protection. The numbered adjustment and fixed rails are easy to use and ensure the stability and durability.




## **OLYMPIC FLAT BENCH** / T933



### **SPECIFICATIONS**

#### **T933**

1 33.		
X	Dimension	1820 x 1540 x 1480 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
8/	Application color	
KG	Weight net / gross	150 kg / 190 kg
K	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



**Flat bench with** 4 hooks for barbell and 4 weight horns. Equipped with TITAN EXTREME's exclusive adjustable bumper system provides users with additional drop protection. The numbered adjustment and fixed rails are easy to use and ensure the stability and durability.


## **OLYMPIC FLAT BENCH** / T933P



### **SPECIFICATIONS**

#### T933P

$\geq$	Dimension	1765 x 1570 x 1365 mm
	Frame dimensions	30 mm
	Transport box	
[B]	Frame color	• •
8/	Application color	
KIG	Weight net / gross	90 kg / 130 kg
N	Max load*	
6	Recommended weight pack	
-	Weight storage	



**Flat bench with** 4 hooks for barbell and 4 weight horns. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.




## PREACHER CURL BENCH / T934



### **SPECIFICATIONS**

#### **T934**

Dimension	1350 x 870 x 1100 mm
Frame dimensions	30 mm
Transport box	
Frame color	
Application color	
Weight net / gross	78 kg / 118 kg
Max load*	
Recommended weight pack	
Weight storage	



**Bench offers two** different positions for varied workouts and accommodates users of all sizes. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.


## **BACK EXTENSION** / T935



### **SPECIFICATIONS**

#### 195

$\times$	Dimension	1310 x 850 x 970 mm
	Frame dimensions	30 mm
	Transport box	
B.	Frame color	• •
8/	Application color	
KC	Weight net / gross	98 kg / 138 kg
N	Max load*	
6	Recommended weight pack	
-0	Weight storage	



**The Back Extension has an** adjustable angled pad for sound support and exceptional comfort. The exclusive 200 x 88 mm tubing of TITAN EXTREME is built to withstand extreme challenges.




## **DUAL 45 HIP EXTENSION** / T936

### **SPECIFICATIONS**

#### **T936**

1330		
X	Dimension	1665 x 1455 x 970 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KC	Weight net / gross	140 kg / 180 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



The 45-degree plate loaded hip extension offers multiple foot plates for hamstring and glute training positions, while eliminating the struggle of holding free weights during the movement.


## SEATED CALF / T937



### **SPECIFICATIONS**

#### T93'

<u> </u>		
$\times$	Dimension	1460 x 835 x 1070 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	• •
8/	Application color	
KC	Weight net / gross	75 kg / 115 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



**The T937 Seated Calf allows** the user to activate the calf muscle groups rationally using body weight and additional weight plates. Easily adjustable thigh pads support users of different sizes, and the seated design removes spinal pressure for a more comfortable and effective training. The start-stop catch lever ensures safety when starting and ending training.




## SMITH SQUAT RACK / T938



### **SPECIFICATIONS**

#### **T938**

$\times$	Dimension	2200 x 1430 x 2510 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KC	Weight net / gross	254 kg / 294 kg
NA	Max load*	-
6	Recommended weight pack	
-0	Weight storage	



**It combines a squat rack and** a smith machine. The sturdy and strong structure enables you to work out harder and even more challenging workouts safely and securely.


## BARBELL RACK / T942



### **SPECIFICATIONS**

#### T942

X	Dimension	1005 x 1035 x 1375 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
8/	Application color	
KIG	Weight net / gross	93 kg / 133 kg
K	Max load*	
6	Recommended weight pack	
-	Weight storage	



**Accommodates a wide range** of Barbells and Curl Bars. Ensures that equipment is easily accessible.




## **DUMBELL RACK** / T943



### **SPECIFICATIONS**

#### TQ43

1943		
X	Dimension	2150 x 840 x 855 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
Ŋ	Application color	
KIG	Weight net / gross	68 kg / 108 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	



**The clean, efficient 2-Tier,** 10 Pair Dumbbell Rack allows for easy access to of dumbbells in a space efficient design.


## **3-TIER DUMBBELL RACK** / T944



## **SPECIFICATIONS**

### T944

\		
X	Dimension	2150 x 930 x 970 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	• •
8/	Application color	
KIG	Weight net / gross	93 kg / 133 kg
N	Max load*	
6	Recommended weight pack	
-0	Weight storage	



**The clean, efficient 3-Tier,** 15 Pair Dumbbell Rack allows for easy access to of dumbbells in a space efficient design.


## **DELUXE WEIGHT TREE** / T945



### **SPECIFICATIONS**

**T945** 

1943		
X	Dimension	1265 x 1265 x 1120 mm
	Frame dimensions	30 mm
	Transport box	
B	Frame color	
9/	Application color	
KC	Weight net / gross	85 kg / 125 kg
N	Max load*	
6	Recommended weight pack	
-0)	Weight storage	-



**The Deluxe Weight Tree offers** 4 sides with 12 horns for maximum support and storage for your exercisers.

# COLOR OPTIONS





#### GOLD

**SWING ARM** 



FRAME & UPHOLSTERY

#### **PEARL BLACK**

SWING ARM



FRAME & UPHOLSTERY

#### **SILVER**

**SWING ARM** 



FRAME & UPHOLSTERY

#### **ORANGE**

SWING ARM



FRAME & UPHOLSTERY

### **PEARL RED**

**SWING ARM** 



FRAME & UPHOLSTERY


#### **GREY**

SWING ARM



47

FRAME & UPHOLSTERY



**DHZ FITNESS SHOWROOM** Eisenhutweg 122 12487 Berlin

- more than 700 m2
- · only 10 minutes from airport

#### YOU WANT TO GET TO KNOW AND TEST **OUR EQUIPMENT?**

#### Come visit us!

In our showroom in Berlin, we present a selection of our equipment. Please contact us for a personal appointment so that we can take the time to advise you competently.

#### YOU ARE INTERESTED IN ADDITIONAL INFORMA TION OR WANT TO MEET IN PERSON?

#### Ask us!

Our friendly sales team is available for you to address your needs. We would be happy to make a non-binding offer to you.

#### **METEM FIT**

Via G.Amendola, 24 | 31020 Villorba (TV) - Italy 

WWW.METEM.FIT







